


EXPORTER OF :-

Textile reactive dyes, Non reactive Dyes, Direct Dyes & Pigments (Incl. Pigment Paste & Resins)

 <p style="text-align: center;">Hot Brand Dyes 2% Print on Cotton</p> <p style="text-align: center;">PRODUCT</p>		Fastness Properties										
		Day Light			Washing				Alkaline Perspiration	Maximum Printing strength parts /1000	Print Paste Stability (Na2 Co3)	
		1/25	1/1	2/1	CO6 effect	D3 stain	C4A effect stain					
┌	└	BRILL. YELLOW H4G (YELLOW 18)	5	6	6	1	5	5	5	5	70	6 days
┌	└	GOLDEN YELLOW HR (ORANGE 12)	5	6	6	4-5	5	4-5	4-5	4	80	8 days
┌	└	BRILL. ORANGE H2R (ORANGE 13)	3	4	4	4-5	5	4-5	5	4-5	80	8 days
┌	└	RED 6BX (RED 76)	6	6	6-7	5	5	5	5	4-5	80	8 days
┌	└	RED H8B (RED 31)	4	4-5	5	4	5	5	5	5	90	8 days
┌	└	MAGENTA HB	3-4	4	4-5	5	5]	5	5	3-4	70	8 days
┌	└	BLUE 5 RH (BLUE 13)	5	5	6	3	5	4-5	4-5	4-5	80	8 days
┌	└	T. BLUE H5G (BLUE 25)	5	6	6	5	4	4-5	4	4	70	6 days
┌	└	SUPRA BLUE H3RP (BLUE 49)	5-6	6	6-7	2	5	5	5	4	100	6 days
┌	└	RED BROWN H4R (BROWN 9)	4	4-5	5	3-4	5	5	4-5	4-5	70	8 days
┌	└	BLACK HN (BLACK 8)	4-5	6-7	-	4	5	5	4-5	4-5	80	5 days

Contact us for more details :-



+91 9904154689, +91 7990712084



www.rgolibarexports.com


























info@rgolibarexports.com

R GOLIBAR

Exports

EXPORTER OF :-

Textile reactive dyes, Non reactive Dyes, Direct Dyes & Pigments (Incl. Pigment Paste & Resins)

 Cold Brand (M) Dyes - 4% on Cotton & Hosiery PRODUCT			Fastness Properties						Solubility at 30°C g / litre
			Light 1/1	Washing ISO 3 Effect	Alkaline Perspiration	Hypochlorite Bleaching	Wet Scrubbing	Staining	
		YELLOW M8G	6	5	4	1	4	4-5	70
		YELLOW M4G	6	5	4-5	1	4-5	4	40
		YELLOW M3R	6	5	4-5	2-3	3	4-5	160
		YELLOW MGR	6	5	4-5	4	4	4	30
		YELLOW M4R	5	5	4	1	3	4	80
		GOLDEN YELLOW MR	6	4-5	4	4	4	3	50
		ORANGE M2R	4	4	4	4-R	4	3	180
		RED M5B	4-5	4	4-5	1	3-4	3	80
		RED M8B	4-5	4-5	4-5	4	4	2-3	50
		PINK MB	4	4	5	2	4	4-5	80
		BLUE MR	6	6	4-5	2	4	4-5	80

Contact us for more details :-



+91 9904154689, +91 7990712084



www.rgolibarexports.com


























info@rgolibarexports.com

R GOLIBAR

— E · x · p · o · r · t · s —

EXPORTER OF :-

Textile reactive dyes, Non reactive Dyes, Direct Dyes & Pigments (Incl. Pigment Paste & Resins)

 Cold Brand (M) Dyes - 4% on Cotton & Hosiery PRODUCT			Fastness Properties							Solubility at 30°C g / litre
			Light 1/1	Washing ISO 3 Effect	Alkaline Perspiration	Hypochlorite Bleaching	Wet Scrubbing	Staining		
		BLUE M2R	6	5	4	1	4	4-5	70	
		BLUE M4GD	6	5	4-5	1	4-5	4	40	
		NAVY BLUE M3R	6	5	4-5	2-3	3	4-5	160	
		MAGENTA MB	6	5	4-5	4	4	4	30	
		VIOLET C4R	5	5	4	1	3	4	80	
										
										
										
										
										
										

Contact us for more details :-



+91 9904154689, +91 7990712084


























www.rgolibarexports.com



info@rgolibarexports.com

EXPORTER OF :-

Textile reactive dyes, Non reactive Dyes, Direct Dyes & Pigments (Incl. Pigment Paste & Resins)

 HE - Dyes - 4% on Cotton & Hosiery PRODUCT			Fastness Properties						Solubility at 30°C g / litre
			Light 1/1	Washing ISO 3 Effect	Alkaline Perspiration	Hypochlorite Bleaching	Wet Scrubbing	Staining	
		YELLOW HE6G	6	5	4	1	4	4-5	70
		YELLOW HE4G	6	5	4-5	1	4-5	4	40
		YELLOW HE4R	6	5	4-5	2-3	3	4-5	160
		GOLDEN YELLOW HER	6	5	4-5	4	4	4	30
		ORANGE HE2R	5	5	4	1	3	4	80
		RED HE3B	5	4	4-5	1-2	4	3	80
		RED HE7B	4-5	4	4	3	4	3	150
		RED HE8B	6	4-5	4	4	4	3	50
		GREEN HE4BD	4	4	4	4-R	4	3	180
		GREEN HE4B	5	4	4-W	1	2-3	3	120
		NAVY BLUE HER	4-5	4-5	4	1-2	3	4-5	125

Contact us for more details :-



+91 9904154689, +91 7990712084



www.rgolibarexports.com


























info@rgolibarexports.com

R GOLIBAR

— E · x · p · o · r · t · s —

EXPORTER OF :-

Textile reactive dyes, Non reactive Dyes, Direct Dyes & Pigments (Incl. Pigment Paste & Resins)

 HE - Dyes - 4% on Cotton & Hosiery PRODUCT			Fastness Properties							Solubility at 30°C g / litre
			Light 1/1	Washing ISO 3 Effect	Alkaline Perspiration	Hypochlorite Bleaching	Wet Scrubbing	Staining		
		NAVY BLUE HE2R	4-5	3-4	4	1	3	5	140	
		BLUE HERD	5	4-5	4-5	1	4	3-4	80	
		BLUE HEGN	4-5	4-5	4-5	1	4	3-4	60	
		BLACK HEBL	5-6	4	4	3	3-4	4	200	
										
										
										
										
										
										
										

Contact us for more details :-



+91 9904154689, +91 7990712084



www.rgolibarexports.com


























info@rgolibarexports.com

R GOLIBAR

Exports

EXPORTER OF :-

Textile reactive dyes, Non reactive Dyes, Direct Dyes & Pigments (Incl. Pigment Paste & Resins)

 V.S. - Dyes - 4% on Cotton & Hosiery PRODUCT			Fastness Properties						
			Light 1/1	Washing ISO 3 Effect	Alkaline Perspiration	Hypochlorite Bleaching	Wet Scrubbing	Staining	Solubility at 30°C g / litre
		YELLOW 5GL	6	4	4	1	4	5	100
		YELLOW FG	6	4	4-5	1	4-5	4-5	100
		YELLOW GR	6	4	4-5	1	4	5	100
		GOLDEN YELLOW R	5	4-5	5	1	4	2	100
		GOLDEN YELLOW RNL	5	4-5	4-5	1	4	5	100
		ORANGE 2R	4-5	4-5	5	1-2	4	5	100
		ORANGE 3R	5-6	4	4	1	4	4-5	80
		RED C2G	4	3-4	4-5	1	3-4	5	100
		RED 5B	4	4B	4-5	1	4-5	4-5	100
		RED RB	5	4	4-5	1	4	4-5	100
		RED BS	4	3-4	4	1	3	2	80

Contact us for more details :-



+91 9904154689, +91 7990712084



www.rgolibarexports.com



info@rgolibarexports.com

R GOLIBAR

— E · x · p · o · r · t · s —

EXPORTER OF :-

Textile reactive dyes, Non reactive Dyes, Direct Dyes & Pigments (Incl. Pigment Paste & Resins)

 V.S. - Dyes - 4% on Cotton & Hosiery PRODUCT			Fastness Properties							Solubility at 30°C g / litre
			Light 1/1	Washing ISO 3 Effect	Alkaline Perspiration	Hypochlorite Bleaching	Wet Scrubbing	Staining		
		TURQ. BLUE G	6	3-4	4	3G	3-4	5	100	
		BLUE R SPL	7	4-5	4-5	3-4	4	4-5	80	
		BLUE 3R	6-7	4	4R	3	4-5	5	100	
		BLUE BB	6	3-4	4	1	3	2	100	
		VIOLET 5R	6-7	4	4-5	3	4-5	5	100	
		BROWN GR	6	4	4	1	4-5	5	100	
		BLACK RL	7	4-5	5	3-4	4-5	4-5	100	
		BLACK N-150	5	4-5	5	1	3-4	5	100	
		BLACK BG	3-4	4-5	4-5	1	4	4-5	100	
		BLACK BR	3-4	4-5	4-5	1	4	4-5	100	
		N BLUE H ₂ GL	5-6	3-4	4	1	3	2	100	

Contact us for more details :-



+91 9904154689, +91 7990712084



www.rgolibarexports.com




info@rgolibarexports.com

R GOLIBAR

Exports

EXPORTER OF :-

Textile reactive dyes, Non reactive Dyes, Direct Dyes & Pigments (Incl. Pigment Paste & Resins)

 ME - Dyes	PRODUCT	1/1 Light Fastness		WASHING				PERSPIRATION				BLEACHING				SOLUBILITY at 50° C in gms / litre
		ISO-3		ISO-4		ACIDIC		ALKALINE		NAOCL		H ₂ O ₂				
		C	ST	C	ST	C	ST	C	ST	C	ST	C	ST			
	YELLOW ME4GL	4-5	4-5	4	4	4-5	4-5	4-5	4-5	1	5	4	5	120		
	G.YELLOW MERL	5	5	4	4	4	4	3-4	3-4	4	4	3-4	3-4	100		
	ORANGE ME2RL	5	5	4	4	4	4	4	4	2	5	4	5	75		
	RED ME4BL	4-5	4-5	4	4	4-5	4-5	4	4	3	3	4	4	100		
	RED ME6BL	4-5	4-5	4	4	4	4	4	4	3-4	3-4	4	4	80		
	RED GF	5	5	4-5	4-5	4	4	2	4	1	4	3	4	100		

Contact us for more details :-



+91 9904154689, +91 7990712084



www.rgolibarexports.com




info@rgolibarexports.com

R GOLIBAR

Exports

EXPORTER OF :-

Textile reactive dyes, Non reactive Dyes, Direct Dyes & Pigments (Incl. Pigment Paste & Resins)

 ME - Dyes	PRODUCT	1/1 Light Fastness				WASHING				PERSPIRATION				BLEACHING				SOLUBILITY at 50° C in gms / litre
		ISO-3		ISO-4		C	ST	C	ST	C	ST	C	ST	C	ST	C	ST	
		C	ST	C	ST													
						ACIDIC	ALKALINE	NAOCL	H ₂ O ₂									
	NAVY BLUE ME2GL	5	5	4-5	4-5	4	4-5	4	4	4	4	4	4	1	4	3-4	5	100
	VIOLET ME2RL	5	4-5	5	4-5	5	4-5	5	4-5	5	5	4-5	5	2	5	3-4	5	120
	BLACK HFGR CONCE	4-5	5	4	4-5	5	4-5	5	4	5	4	5	4	1	5	3-4	5	100
	BLUE ME2RL	5	5	4-5	4-5	4	4-5	4	4	4	4	4	4	1	5	3-4	5	100
	BLUE BFN	4-5	5	4	4-5	5	4-5	5	4	5	4	5	4	2	5	3-4	5	100
	GREEN ME4BL	5	5	4-5	4-5	4	4-5	4	4	4	4	4	4	1	5	3	5	100

Contact us for more details :-



+91 9904154689, +91 7990712084



www.rgolibarexports.com



info@rgolibarexports.com